

## HP Color LaserJet Pro MFP 4301fdw Printer

4RA82F

Get a blazing fast color printer and easy management tools with LaserJet Pro.

Active between

1 Apr 2023 - 1 Dec 9998



### Overview

#### Maximum productivity in full color

Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users. Step up your workflow with blazing fast speed to meet high-demand environments. Print wirelessly even without the network, stay connected with dual-band Wi-Fi and Wi-Fi direct. [6]

#### Seamless management [3]

Centralize your print management. HP Web Jetadmin easily adds and updates devices and solutions. [3] Set up your printers quickly so you can focus more on your business. Make it easy for your team to set up and get back to what matters.

#### HP Wolf Pro Security

Get printer security out of the box. Preconfigured settings mean it's ready when you are. DM: Add a layer of security. PIN/pull option authenticates your print jobs only when you're present. EM(wireless): Avoid interruptions with Wi-Fi®7 that intelligently looks for more stable connection to stay on-line.[6] EM(ethernet only): Centralize your print business. HP Web Jetadmin easily adds and updates devices, solutions, and policies. [3]

#### Sustainable printing [4,12,13]

Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing. [12,13] Trim your paper use. Default duplex setting prints on both sides of each page. Meet the industry standard for efficiency with Energy Star® rating. [4]

### Specifications

Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 50 sheets uncurled
Automatic paper sensor	No
Bit depth	30-bit

Blue Angel compliant	No, please refer to the ECI (Ecolabel Comparison Information) document
Bottom margin (A4)	4.23 mm
Certifications and compliances	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
Color or black	Color
Color scanning	Yes
Compatible Network Operating Systems	SAP; Novell; UNIX; Citrix; Linux; Windows Server
Compatible Operating Systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS
Component type	Printer
Control panel	4.3" Capacitive touchscreen (all input functions)
Copier scaling (ADF)	25 to 400%
Copier settings	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality (Draft/Standard/Best)
Copies, maximum	Up to 999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Copy speed (black, normal quality, A4)	Up to 33 cpm
Copy speed (color, normal quality, A4)	Up to 33 cpm
Copy speed black duplex (A4)	Up to 29 cpm
Copy speed black duplex (Letter)	Up to 31 cpm

Copy speed color duplex (A4) Up to 29 cpm

Copy speed color duplex (Letter) Up to 31 cpm

Display 4.3" diagonal WLED-backlit anti-glare (480X272)

Display area (imperial) 3.74 x 2.1 Inch

Display area (metric) 95 x 53.8 mm

Distinctive ring detection supported Yes

Downloadable software

From <http://123.hp.com>- HP Easy Start (Guided Software Install for Windows and Mac), From <http://hp.com> for Windows OS- Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From <http://hp.com> for Mac OS-, HP Mac OS Print Driver, HP Easy Admin, For Mobile OS-, iOS For more information see: <http://hp.com/go/businessmobileprinting>, Android For more information se: <http://hp.com/go/businessmobileprinting>, From <http://hp.com> for printer administrators-, Printer Administrator Resource Kit (Driver Configuration, Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows. For more information on the supported operating systems go to <http://support.hp.com>, SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>, HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux, Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>, Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>, For more information on the supported operating systems go to <http://support.hp.com>, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, Supported Operating systems, For more information on the supported operating systems also see [www.hp.com/go/upd](http://www.hp.com/go/upd), HP Smart Suite- Basic, HP Smart Suite- Advanced, HP SmartApp, HP SmartDriver, HP PrintScanDr, HP WebJetAdmin + Workpath, HP Command Center, Chrome Extension, Android Plug-in

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <http://www.hp.com/support/> (country/region may need to be selected) Select "Support"; Select "Software and Drivers", Select "Printer", Enter a product name/number, (The operating system is automatically detected), Select a driver or other software, Select "Download" for the software desired

Duplex ADF scanning Yes

Duplex printing Automatic

Duty cycle (monthly, A4) Up to 50,000 pages

Duty cycle (monthly, letter) Up to 50,000 pages

Duty cycle note

[7] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Ecolabels	IT ECO Declaration; EPEAT® Silver Australia; EPEAT® Silver Canada; EPEAT® Silver US
Ecolabels footnote	EPEAT® registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.net">http://www.epeat.net</a> for registration status by country.
Electromagnetic compatibility	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Energy star certified	Yes
Engine life	100000
Enhanced scanning resolution	Up to 600 dpi
Envelope Feeder	No
Fax Auto Redial	Yes
Fax Broadcast Locations	0
Fax delayed sending	Yes
Fax forwarding	Yes
Fax memory	Up to 500 pages
Fax PC Interface Supported	Yes
Fax phone TAM interface supported	Yes
Fax Polling	No
Fax Remote Retrieval	No
Fax resolution black	Up to 203 x 196 dpi
Fax Resolution Black (best)	Up to 300 x 300 dpi
Fax Speed Dials, Maximum Number	Up to 100 numbers
Fax telephone mode supported	Yes
Fax Transmission Speed	33.6 kbps

Fax transmission speed (letter)	5 sec per page
Fax Transmission Speed Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Faxing	Yes
Finished output handling	Sheet feed
First copy out black (A4, sleep)	As fast as 9.5 sec
First copy out black (A4)	As fast as 7.6 sec
First copy out black (letter, sleep)	As fast as 9.2 sec
First copy out black (letter)	As fast as 7.5 sec
First copy out color (A4, sleep)	As fast as 10.3 sec
First copy out color (A4)	As fast as 10 sec
First copy out color (letter, sleep)	As fast as 10.0 sec
First copy out color (letter)	As fast as 10 sec
First page out black (A4, ready)	As fast as 9.5 sec
First page out black (A4, sleep)	As fast as 10.2 sec
First page out black (letter, ready)	As fast as 9.1 sec
First page out black (letter, sleep)	As fast as 10.0 sec
First page out color (A4, ready)	As fast as 10.5 sec
First page out color (A4, sleep)	As fast as 10.5 sec
First page out color (letter, ready)	As fast as 10 sec

First page out color (letter, sleep)	As fast as 10.3 sec
Fonts and typefaces	111 scalable TrueType fonts
Functions	Print, copy, scan, fax
Input capacity	Up to 300 sheets
Junk fax barrier	Yes, as blocked fax numbers
Left margin (A4)	4.23 mm
Levels of grayscale	256
Mac compatible	Yes
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)
Maximum Input Capacity (envelopes)	Up to 15 envelopes
Maximum input capacity (sheets)	Up to 850 sheets (with Optional 550-sheet tray)
Maximum Memory	512 MB NAND Flash, 512 MB DRAM
Maximum output capacity (sheets)	Up to 150 sheets
Maximum print area	212 x 352 mm
Media size (ADF)	Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm
Media size, tray 1	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
Media size, tray 2	A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)
Media size, tray 3	A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes, custom	Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Media type and capacity, ADF	Sheets: 50 uncurled



Media type and capacity, tray 1	Sheets: 50; envelopes: 5
Media type and capacity, tray 2	Sheets: 250; envelopes: 10
Media type and capacity, tray 3	Sheets: 550
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media weight (tray 1)	60 to 176 g/m <sup>2</sup> (up to 200 g/m <sup>2</sup> with postcards and HP Color laser glossy photo papers)
Media weight (tray 2)	60 to 163 g/m <sup>2</sup> paper (up to 176 g/m <sup>2</sup> with postcards, up to 200g/m <sup>2</sup> HP Color laser glossy photo papers)
Media weight (tray 3)	Optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers)
Media weight, supported	60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> postcards, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers)
Media weights, supported ADF	60 to 120 g/m <sup>2</sup>
Memory	512 MB NAND Flash, 512 MB DRAM
Minimum System Requirements	2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a> ;
Minimum System Requirements for Macintosh	2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see <a href="http://apple.com">apple.com</a> ;
Mobile printing capability	HP Smart App; Apple AirPrint™; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing
Modem	33.6 kbps
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x; 802.11ac (Wi-Fi 5)
Network protocols, supported	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Operating humidity range	10 to 80% RH (non-condensing)

Operating system (supported note)	Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> ; Citrix Server 6.5; Citrix XenApp & XenDesktop 7.6, Linux- For more information see <a href="http://developers.hp.com/hp-linux">http://developers.hp.com/hp-linux</a> imaging-and-printing; Novell iPrint server; Unix- For more information see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a> ; Windows Server 2008 R2 64-bit ; Windows Server 2012 64-bit; Windows Server 2012 R2 64-bit; Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; (All operating systems with the latest updates); Android; iOS; macOS Big Sur v11.0; macOS Catalina v10.15; macOS Monterey v12.0; macOS's-; Mobile -; Win10; Win11; Windows Client OS (32/64 bit)-;(All operating systems with the latest updates)
Operating temperature range	50 to 90.5°F
Output capacity	Up to 150 sheets
Page yield (set-up/inbox cartridges)	~2,000 pages black, ~1,000 pages cyan, magenta, yellow composite yield
Paper handling input, optional	Optional 550-sheet tray
Paper handling input, standard	50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF)
Paper handling output, standard	150-sheet output bin
Paper trays, maximum	3
Paper trays, standard	2
Plug and play	Auto Wireless Connect; HP Smart App
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Power consumption	585 watts (Active Printing), 18 watts (Ready), 0.8 watts (Sleep), 0.8 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (Off)
Power consumption Note	[5] Values based on 115V test results based on ES test method.
Power supply type	Internal (Built-in) power supply
Print colors	Yes
Print languages	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office
Print quality black (best)	Up to 600 x 600 dpi
Print quality black (normal)	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)
Print quality color (best)	Up to 600 x 600 dpi



Print resolution color (normal)	ImageREt 2400, HP premium print quality mode (600 x 600 dpi)
Print Resolution Technologies	HP ImageREt 2400, PANTONE® calibrated
Print speed	Print speed up to 35/33 ppm black & color (letter/A4)
Print speed black (ISO, A4)	Up to 33 ppm
Print speed black (ISO, letter)	Up to 35 ppm
Print speed black (Portrait, A5)	Up to 44 ppm
Print speed color (ISO)	Up to 35 ppm
Print Speed Color (ISO)	Up to 33 ppm
Print speed color (Portrait, A5)	Up to 44 ppm
Print speed duplex (A4)	Up to 29 ipm
Print Technology	Laser
Print technology	Laser
Printer black pages (MPV black)	424
Printer color pages (MPV color)	282
Printer Management	HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator)
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Processor speed	1200 MHz
Recommended media weight (duplex)	60 to 163 g/m <sup>2</sup> plain paper, 105 to 200 g/m <sup>2</sup> glossy
Recommended monthly page volume	750 to 4,000

Recommended monthly scan volume	750 to 4000
Recommended operating humidity range	30 to 70% RH (non-condensing)
Recommended operating temperature range	59 to 80.6°F
Registration required	No
Replacement cartridges	HP 210A Black Original LaserJet Toner Cartridge (~2,000 pages) W2100A; HP 210A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2101A; HP 210A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2102A; HP 210A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2103A; HP 210X Black Original LaserJet Toner Cartridge (~7,500 pages) W2100X; HP 210X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2101X; HP 210X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2102X; HP 210X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2103X
Replacement cartridges footnote	[2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a>
Resolution	600 dpi
Resolution (black and white, standard mode)	200 x 100 dpi
Resolution (black and white, superfine mode)	Up to 300 x 300 dpi
Resolution (black photo grayscale)	300 x 300 dpi (halftone)
Right margin (A4)	4.23 mm
RMN number	BOISB-2000-04
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); IEC 62368-1:2014; EN 62368-1:2014(EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 2nd Ed. 2014-12-01, CSA C22.2 No. 62368-1-14, 2nd Ed.; IEC 62471:2006 / EN 62471:2008; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries.
Scan file format	PDF; JPG; TIFF
Scan input modes	Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi

Scan size (ADF), maximum	216 x 356 mm
Scan size (ADF), minimum	102 x 152 mm
Scan size, maximum	216 x 297 mm
Scan speed (normal, A4)	Up to 29 ppm, up to 26 ppm
Scan speed (normal, letter)	Up to 31ppm, up to 28ppm
Scan speed duplex (normal, A4)	Up to 44 ipm (b&w), up to 35 ipm (color)
Scan technology	Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF
Security	HP Security Manager; HP Secure Print and Insights; Optional Smart Security
Segment (filter)	Small medium business
Software included	No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a> ;
Software scan file format	Windows HP Scan SW supports PDF, JPG, RTF, TXT, BMP, PNG, TIFF. Mac HP Easy Scan SW supports PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF.
Standard media sizes (duplex)	A4; A5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5 (JIS); Oficio; Oficio (216 x 340 mm); A4R
Standard output capacity (envelopes)	Up to 20 envelopes
Storage	Optional Job Storage via external rear host USB port (minimum 16 GB)
Storage device and direct print support	USB Printing; Wi-Fi Direct; Front-facing USB/Flash drive; Walk-up USB printing; Optional job storage via external rear host USB port (Minimum 16GB)
Storage temperature range	-4 to 104°F
Supplies feature	TerraJet Cartridge
Sustainable impact specifications	ENERGY STAR® certified; EPEAT® registered; 15% post-consumer recycled plastic
Tariff numbers	National HTS / AMS Base HTS 8443310000; EU Base HTS 8443310000; AP Base HTS 84433129
Technical features	Fax; Automatic document feeder; Automatic 2-sided printing; Bluetooth printing; Cloud-based fleet management; Compact size; ENERGY STAR®; Network printing; HP Auto-on/Auto-off; TerraJet Toner; Private Print via PIN; Professional print quality; Scan-to-cloud; Scan-to-email; Scan-to-folder; Touchscreen; Walk-up USB; WiFi Direct; Made with recycled plastic

Telecom compliance (fax capability)	Telecom Wireless: FCC 47 CFR Part 15 Subpart C & E (UNII); FCC 47 CFR Part 15 Subpart C & E; IRSS-Gen Issue 4/RSS 247 Issue 2, 2017 & RSS 102 Issue 5, 2015; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; EN 300 440-1 V2.1.1; EN 300 328 V2.2.2; EN 301 893 V2.1.1. Other Telecom approvals as required by individual countries. Telecom Wired: FCC Rules and Regulations 47 CFR Part 68. ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2. Other Telecom approvals as required by individual countries.
Telephone handset supported	No
Top key features	Wireless; Print from phone or tablet; Automatic document feeder
Top margin (A4)	4.23 mm
Twain version	Version 2.3
Typical electricity consumption (TEC) footnote	[4] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result.
Typical electricity consumption (TEC) number	1.423 kWh/Week (Blue Angel); 0.422 kWh/Week (Energy Star 3.0)
UNSPSC code	43212110
Warm-up time	As fast as 55 sec
What's in the box	HP Color LaserJet Pro 4301fdw; 4 preinstalled HP LaserJet Toner cartridges (Black: ~2,000 pages, Introductory-Cyan, Magenta, Yellow: ~1,000 pages); In-box documentation (Reference Guide, Setup Card); warranty card (Where required). HP printer software is available at <a href="http://www.hp.com/support">www.hp.com/support</a> ; Power cord; USB cable; fax cable (New Zealand only).
Wireless capability	Yes, built-in dual-band Wi-Fi (Wi-Fi 5); Authentication via WEP, WPA/WPA2/WPA3, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy

## Logistics

Cable included	Yes, 1 USB cable. Yes, Fax cable, New Zealand only
Cartons per layer	4
Count of layers in pallet	5 (NA), 4 (EMEA/APJ)
Country of origin	Made in China
Maximum dimensions (W x D x H)	421 x 686 x 761 mm (with optional 550-sheet tray 3)
Minimum dimensions (W x D x H)	421 x 435 x 384 mm

Package dimensions (W x D x H)	597 x 497 x 492 mm
Package weight	23.6 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2601 mm (NA), 1200 x 1000 x 2111 mm (EMEA/APJ)
Pallet weight	513 kg (NA), 414 kg (EMEA/APJ)
Quantity per pallet	20 (NA), 16 (EMEA/APJ)
RMN number	BOISB-2000-04
Tariff numbers	National HTS / AMS Base HTS 8443310000; EU Base HTS 8443310000; AP Base HTS 84433129
UNSPSC code	43212110
UPC number	(BGJ) 196068323134; (BGM) 196068323141
Weight	~20.4 kg
What is in the box footnote	[1] For yield information on the cartridge(s) included with your printer, see <a href="http://www.hp.com/go/toneryield">http://www.hp.com/go/toneryield</a> . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
What's in the box	HP Color LaserJet Pro 4301fdw; 4 preinstalled HP LaserJet Toner cartridges (Black: ~2,000 pages, Introductory-Cyan, Magenta, Yellow: ~1,000 pages); In-box documentation (Reference Guide, Setup Card); warranty card (Where required). HP printer software is available at <a href="http://www.hp.com/support">www.hp.com/support</a> ; Power cord; USB cable; fax cable (New Zealand only).

## Overview

[1] Requires HP app download available at [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting). Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting).

[2] Requires use of Smart Admin Dashboard for printer setup and onboarding of users.

[3] HP Web Jetadmin is available for download at no additional charge at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).

[4] HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See [hp.com/ecosmart](http://hp.com/ecosmart)

[5] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[6] Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 112 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting).

[7] HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit [hp.com/go/securitymanager](http://hp.com/go/securitymanager).

[12] Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See [hp.com/TerraJetplasticreductions](http://hp.com/TerraJetplasticreductions).

[13] HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See [hp.com/TerraJetenergysaving](http://hp.com/TerraJetenergysaving).

[14] Standard print mode for HP Color LaserJet Pro series with HP TerraJet technology compared to predecessors. See [hp.com/TerraJetcolors](http://hp.com/TerraJetcolors).

## Specifications

[1] For yield information on the cartridge(s) included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[2] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>

[3] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

[4] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result.

[5] Values based on 115V test results based on ES test method.

[6] Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.

[7] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

## Legal disclaimer

Product image may differ from actual product

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.